



## SAFETY DATA SHEET

ANTIQUAX FURNITURE OIL

Page: 1

Compilation date: 20/03/2014

Revision No: 1

### Section 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

**Product name:** ANTIQUAX FURNITURE OIL

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### 1.3. Details of the supplier of the safety data sheet

**Company name:** Rustins Ltd

Waterloo Road

Cricklewood

London

NW2 7TX

United Kingdom

**Tel:** +44 (0)208 450 4666

**Fax:** +44 (0)208 452 2008

**Email:** rustins@rustins.co.uk

#### 1.4. Emergency telephone number

### Section 2: Hazards identification

#### 2.1. Classification of the substance or mixture

**Classification under CHIP:** -: R10; Xi: R38; N: R50/53

**Classification under CLP:** Aquatic Acute 1: H400; Aquatic Chronic 1: H410; Eye Irrit. 2: H319; Flam. Liq. 3: H226;  
Skin Irrit. 2: H315; Skin Sens. 1: H317

**Most important adverse effects:** Flammable. Irritating to skin. Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

#### 2.2. Label elements

##### Label elements under CLP:

**Hazard statements:** H226: Flammable liquid and vapour.

H315: Causes skin irritation.

H317: May cause an allergic skin reaction.

H319: Causes serious eye irritation.

H400: Very toxic to aquatic life.

H410: Very toxic to aquatic life with long lasting effects.

**Signal words:** Warning

**Hazard pictograms:** GHS02: Flame

GHS07: Exclamation mark

GHS09: Environmental

[cont...]

# SAFETY DATA SHEET

## ANTIQUAX FURNITURE OIL

Page: 2



**Precautionary statements:** P243: Take precautionary measures against static discharge.  
P280: Wear protective gloves/protective clothing/eye protection/face protection.  
P303+361+353: IF ON SKIN (or hair): Remove immediately all contaminated clothing. Rinse skin with water/shower.  
P305+351+338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P321: Specific treatment (see instructions on this label).  
P370+378: In case of fire: Use carbon dioxide for extinction.  
P210: Keep away from open flames. - No smoking.

### Label elements under CHIP:

**Hazard symbols:** Irritant.  
Dangerous for the environment.



**Risk phrases:** R10: Flammable.  
R38: Irritating to skin.  
R50/53: Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

**Safety phrases:** S61: Avoid release to the environment. Refer to special instructions / safety data sheets.

### 2.3. Other hazards

**PBT:** This product is not identified as a PBT substance.

## Section 3: Composition/information on ingredients

### 3.2. Mixtures

#### Hazardous ingredients:

CITRUS TERPENES

EINECS	CAS	CHIP Classification	CLP Classification	Percent
-	-	-: R10; Xi: R38; N: R50/53	Flam. Liq. 3: H226; Skin Irrit. 2: H315; Skin Sens. 1: H317; Eye Irrit. 2: H319; Aquatic Chronic 1: H410; Aquatic Acute 1: H400	32.700%

## Section 4: First aid measures

### 4.1. Description of first aid measures

**Skin contact:** Wash immediately with plenty of soap and water.

[cont...]

# SAFETY DATA SHEET

## ANTIQUAX FURNITURE OIL

Page: 3

**Eye contact:** Contact lenses should be removed. Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart, and seek medical advice.

**Ingestion:** Wash out mouth with water. Give patient large quantities of water and milk to drink. Seek medical attention.

**Inhalation:** Remove to fresh air, keep the patient warm and at rest. If there is difficulty in breathing, properly trained personnel may administer oxygen. If breathing has stopped, administer artificial respiration (NOT mouth to mouth).

### 4.2. Most important symptoms and effects, both acute and delayed

**Skin contact:** Irritation. Repeated or prolonged contact may cause defatting of the skin leading to irritation and dermatitis.

**Eye contact:** Irritating to eyes. Causes burns.

**Ingestion:** Irritation of the gastrointestinal tract. May cause stomach pain, nausea and vomiting, irritation of mouth and throat.

**Inhalation:** There may be irritation of nose, throat and respiratory tract. Dizziness, loss of coordination, nausea and vomiting may occur.

### 4.3. Indication of any immediate medical attention and special treatment needed

## Section 5: Fire-fighting measures

### 5.1. Extinguishing media

**Extinguishing media:** Dry chemical powder. Water spray. Water fog. Sand or earth.

### 5.2. Special hazards arising from the substance or mixture

### 5.3. Advice for fire-fighters

**Advice for fire-fighters:** Cool aerosol cans exposed to heat with water spray and remove container, if no risk involved.

## Section 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

**Personal precautions:** Eliminate all sources of ignition. Do not attempt to take action without suitable protective clothing (see section 8).

### 6.2. Environmental precautions

**Environmental precautions:** Do not discharge into drains or rivers.

### 6.3. Methods and material for containment and cleaning up

**Clean-up procedures:** Avoid sparks, flames, heat and smoking. Extinguish all ignition sources. Ventilate.

### 6.4. Reference to other sections

## Section 7: Handling and storage

[cont...]

# SAFETY DATA SHEET

ANTIQUAX FURNITURE OIL

Page: 4

## 7.1. Precautions for safe handling

**Handling requirements:** In cases of doubt about the adequacy of local exhaust ventilation, air fed respiratory protective equipment should be used. Exclude sources of heat, sparks and open flame.  
Avoid skin and eye contact.

## 7.2. Conditions for safe storage, including any incompatibilities

**Storage conditions:** Store in cool, well ventilated area. Pressurised container; protect from sunlight and do not expose to temperatures exceeding 50C.

**Suitable packaging:** Must only be kept in original packaging.

## 7.3. Specific end use(s)

## Section 8: Exposure controls/personal protection

### 8.1. Control parameters

**Workplace exposure limits:** No data available.

### 8.1. DNEL/PNEC Values

**DNEL / PNEC** No data available.

### 8.2. Exposure controls

**Engineering measures:** Provide adequate ventilation. Where reasonably practicable, this should be achieved by the use of local exhaust ventilation and good general extraction.

**Respiratory protection:** If there is a risk of exposure to high vapour concentrations, use respiratory protective equipment.

**Hand protection:** Protective gloves.

**Eye protection:** Goggles or face shield.

**Skin protection:** cotton or cotton/synthetic overalls or coveralls are normally suitable. Grossly contaminated clothing should be removed and the skin washed with soap and water or a proprietary skin cleaner.

## Section 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

**State:** Aerosol

**Colour:** Colourless

**Odour:** Characteristic odour

**Flammability limits %: lower:** 0.8

**upper:** 9.0

**Flash point °C:** 23 - 55

### 9.2. Other information

**Other information:** No data available.

[cont...]

# SAFETY DATA SHEET

ANTIQUAX FURNITURE OIL

Page: 5

## Section 10: Stability and reactivity

### 10.1. Reactivity

### 10.2. Chemical stability

**Chemical stability:** Stable under normal storage and handling conditions (see Section 7).

### 10.3. Possibility of hazardous reactions

### 10.4. Conditions to avoid

**Conditions to avoid:** Heat. Sources of ignition.

### 10.5. Incompatible materials

**Materials to avoid:** Strong oxidising agents. Strong acids. Strong bases.

### 10.6. Hazardous decomposition products

**Haz. decomp. products:** In combustion emits toxic fumes of carbon dioxide / carbon monoxide.

## Section 11: Toxicological information

### 11.1. Information on toxicological effects

#### Relevant effects for mixture:

Effect	Route	Basis
Irritation	DRM	Hazardous: calculated

### Symptoms / routes of exposure

**Skin contact:** Irritation. Repeated or prolonged contact may cause defatting of the skin leading to irritation and dermatitis.

**Eye contact:** Irritating to eyes. Causes burns.

**Ingestion:** Irritation of the gastrointestinal tract. May cause stomach pain, nausea and vomiting, irritation of mouth and throat.

**Inhalation:** There may be irritation of nose, throat and respiratory tract. Dizziness, loss of coordination, nausea and vomiting may occur.

## Section 12: Ecological information

### 12.1. Toxicity

**Ecotoxicity values:** No data available.

### 12.2. Persistence and degradability

### 12.3. Bioaccumulative potential

**Bioaccumulative potential:** May cause long term adverse effects in the aquatic environment.

### 12.4. Mobility in soil

[cont...]

# SAFETY DATA SHEET

ANTIQUAX FURNITURE OIL

Page: 6

## 12.5. Results of PBT and vPvB assessment

**PBT identification:** This product is not identified as a PBT substance.

## 12.6. Other adverse effects

## Section 13: Disposal considerations

### 13.1. Waste treatment methods

**Disposal operations:** Transfer to a suitable container and arrange for collection by specialised disposal company. Dispose of waste and residues in accordance with local authority requirements.

**NB:** The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

## Section 14: Transport information

### 14.1. UN number

**UN number:** UN1950

### 14.2. UN proper shipping name

**Shipping name:** AEROSOLS (ORANGE TERPENES)

### 14.3. Transport hazard class(es)

**Transport class:** 2

### 14.4. Packing group

### 14.5. Environmental hazards

**Environmentally hazardous:** Yes

**Marine pollutant:** No

### 14.6. Special precautions for user

**Tunnel code:** D

## Section 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

### 15.2. Chemical Safety Assessment

## Section 16: Other information

### Other information

**Other information:** This safety data sheet is prepared in accordance with Commission Regulation (EU) No 453/2010.

\* indicates text in the SDS which has changed since the last revision.

**Phrases used in s.2 and 3:** H226: Flammable liquid and vapour.

H315: Causes skin irritation.

H317: May cause an allergic skin reaction.

[cont...]

## SAFETY DATA SHEET

### ANTIQUAX FURNITURE OIL

Page: 7

H319: Causes serious eye irritation.

H400: Very toxic to aquatic life.

H410: Very toxic to aquatic life with long lasting effects.

R10: Flammable.

R38: Irritating to skin.

R50/53: Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

**Legal disclaimer:** The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.